

Amendments to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in the present application:

Listing of Claims:

1. (Currently Amended) A spill cleaning device comprising:
a scoop adapted to retain a quantity of material;
a cleaning pad member coupled to the scoop;
at least one squeegee at least partially defining a blade connected to said cleaning pad member and
at least one sachet member connected to said cleaning pad member.
2. (Original) A spill cleaning device of claim 1 wherein the cleaning pad member is comprised of an absorbent material.
3. (Original) A spill cleaning device of claim 1 further including an attachment means.
4. (Original) A spill cleaning device of claim 1 wherein the cleaning pad member is made from a non-woven fabric.
5. (Original) A spill cleaning device of claim 1 wherein the sachet member is attached to the cleaning pad member.
6. (Original) A spill cleaning device of claim 1 wherein the sachet member is within the cleaning pad member.
7. (Original) A spill cleaning device of claim 1 wherein the sachet member contains a liquid.

8. (Original) A spill cleaning device of claim 7 wherein the liquid in the sachet member is a sanitizing liquid.

9. (Original) A spill cleaning device of claim 7 wherein the liquid in the sachet member is a cleaner.

10. (Previously Presented) A spill cleaning device of claim 1 wherein the squeegee is attached to the cleaning pad member.

11. (Previously Presented) A spill cleaning device of claim 1 wherein the squeegee is made of a natural or synthetic rubber material.

12. (Previously Presented) A spill cleaning device of claim 1 wherein the squeegee is attached to a front of the cleaning pad member.

13. (Previously Presented) A spill cleaning device of claim 12 wherein the squeegee is concave in shape.

14. (Previously Presented) A spill cleaning device of claim 12 wherein the squeegee extends above the cleaning pad member.

15. (Previously Presented) A spill cleaning device of claim 1 wherein at least one squeegee is attached to the bottom of the cleaning pad member.

16. (Previously Presented) A spill cleaning device of claim 15 wherein the squeegee extends the length of the cleaning pad member.

17. (Previously Presented) A spill cleaning device of claim 16 wherein the squeegee includes a cylindrical portion.

18. (Original) A spill cleaning device of claim 3 engaged with an attachment member.

19. (Original) A spill cleaning device of claim 18 wherein the attachment member includes a head.

20. (Original) A spill cleaning device of claim 19 wherein the attachment member has a pivoting head.

21. (Original) A spill cleaning device of claim 19 wherein the cleaning pad member is engaged with the head.

22. (Currently Amended) A spill cleaning device comprising:
a scoop adapted to retain a quantity of material;
a cleaning pad member coupled to the scoop;
at least two squeegees, each squeegee at least partially defining a blade connected to said
cleaning pad member and
at least one sachet member connected to said cleaning pad member.

23. (Original) A spill cleaning device of claim 22 wherein the cleaning pad member is
comprised of an absorbent material.

24. (Previously Presented) A spill cleaning device of claim 22 wherein the squeegees are
attached to the cleaning pad member.

25. (Previously Presented) A spill cleaning device of claim 22 wherein the squeegees are
made of a natural or synthetic rubber material.

26. (Previously Presented) A spill cleaning device of claim 22 wherein one squeegee is
attached to the front of the cleaning pad member and a second squeegee is attached to the back of
the cleaning pad member.

27. (Previously Presented) A spill cleaning device of claim 25 wherein at least one of the
squeegees is concave in shape.

28. (Previously Presented) A spill cleaning device of claim 27 wherein the concave
squeegee extends above the cleaning pad member.

29. (Previously Presented) A spill cleaning device of claim 22 wherein the squeegees are
attached to the bottom of the cleaning pad member.

30. (Previously Presented) A spill cleaning device of claim 29 wherein the squeegees extend the length of the cleaning pad member.

31. (Previously Presented) A spill cleaning device of claim 29 wherein the squeegees including a cylindrical portion.

32. (Previously Presented) A spill cleaning device of claim 29 wherein the sachet member is positioned between the squeegees.

33. (Original) A method of absorbing a spill on a surface and cleaning the surface with a single device employing the spill cleaning device of claim 1.

34. (Currently Amended) A method of absorbing a spill on a surface and cleaning the surface with a single device comprising:

placing a cleaning pad member with at least one squeegee at least partially defining a blade and at least one sachet member on a surface with a spill;

moving the device toward the spill with the squeegee positioned forward to collect solid debris;

scooping the solid debris with a scoop coupled to the cleaning pad member;

retaining the solid debris within the scoop; and

collecting the liquid debris with the cleaning pad member.

35. (Original) The method of claim 34 wherein the spill cleaning device includes a sachet member that contains a cleaning liquid which when activated releases a cleaning solution to clean the surface once the spill is removed.

36. (Original) The method of claim 34 wherein the spill cleaning device includes a sachet member that contains a sanitizing liquid which when activated releases a cleaning solution to clean the surface once the spill is removed.

37. (Original) The method of claim 34 wherein the spill cleaning device includes at least two squeegees one in a front portion of the cleaning pad member and one at a back portion of the cleaning pad member.

38. (Original) The method of claim 37 wherein the spill cleaning device includes a sachet member positioned between the squeegees.

39. (Original) The method of claim 34 wherein the spill cleaning device is engaged with an attachment member to be used in conjunction with the device to clean a spill off a surface.

40. (Original) The method of claim 39 wherein the attachment member has a pivoting head to engage the spill cleaning device.

41. (Previously Presented) The method of claim 40 wherein the spill cleaning device is engaged with the pivotal head of the attachment member forming an angle wherein a squeegee portion is on one side of the pivoting head and a sachet portion is on the other side of the pivotal head; placing the spill cleaning device on the surface and moving the device toward the spill with the squeegee forward to collect all solid debris; collecting the liquid debris with the cleaning pad member; pivoting the pivotal head of the attachment member to allow the sachet portion to contact the surface and rupture the sachet portion to release a contained material of the sachet member on the surface; and collecting the contents with cleaning pad member.

42. (Original) The method of claim 41 wherein the contained materials of the sachet member is a cleaner.

43. (Original) The method of claim 41 where in the contained materials of the sachet member is a sanitizer.

44. (New) The spill cleaning device of claim 1, wherein the scoop comprises at least a first wall and a second wall, the second wall positioned at an angle with respect to the first wall.

45. (New) The spill cleaning device of claim 44, wherein the angle between the first wall and the second wall is about a right angle.

46. (New) The spill cleaning device of claim 44, wherein the angle between the first wall and the second wall is an obtuse angle.

47. (New) The spill cleaning device of claim 22, wherein the scoop comprises at least a first wall and a second wall, the second wall positioned at an angle with respect to the first wall.

48. (New) The spill cleaning device of claim 47, wherein the angle between the first wall and the second wall is about a right angle.

49. (New) The spill cleaning device of claim 47, wherein the angle between the first wall and the second wall is an obtuse angle.